



A reliable, semi-automatic strapping machine developed from the popular TMS300 and featuring a low 355mm table height to facilitate strapping of larger cartons.











PLR100

LOW TABLE HEIGHT SEMI-AUTO STRAPPING MACHINE

Features include:


- > 355mm table height
- > Safety interlocked stainless steel top plate
- > Braking swivel castors
- > External strap tension adjustment
- > Reliable, energy efficient operation
- > Simple use and maintenance
- > Compatible with 200mm/280mm core strapping





Suitable for use with polypropylene strapping









Suitable for food industry applications



Strapping tension range



Power requirements



Suitable for engineering industry applications



Total machine weight



The PLR100 employs a reliable mechanical sealing head



Simple to use electronic control panel



Low level design

Specifications

Machine Weight: 80 kg

Machine Dims w x d x h (mm): 1476 x 582 x 355

Max Package Weight: 120 kg Strap Widths (mm): 9-16

Min/Max PP Thickness: 0.5mm - 0.75mm

Min/Max Tension: 15-45 kg (Strap Dependent)
Speed/Cycle: 3 secs (@50Hz if applicable)

Power Requirement: 240v 50Hz Power Consumption: 250w

Options

- > Safety switch under table top
- > Adjustable cooling time (0-2 sec.)

